# **HP Latex Inks Substrate Certificate**

## Certified for **HP Latex Inks**



### Supplier Name

**Neschen AG** 

Substrate Name

Solvoprint Performance Wallpaper

Thickness / Weight

320 µm / 190 g/m2

**Certification Date** 

March 9, 2015

**Certification Number** 

September 23, 2015 - 17009

This substrate is hereby certified for HP Latex Printing Technologies

**Color Concepts NL** 

This substrate is certified for the following HP Latex Printers

Latex 300 series

For more information, please refer to the HP media Solutions Locator http://hp.com/go/mediasolutionslocator

This substrate has been evaluated under the standard comprehensive testing procedure, in conjunction with HP Latex substrate certification criteria.

Please note: By certifying your product this means you support it's use on HP Latex equipment and its uses, and that you will perform any due diligence necessary should complaints arise. Further, by receiving approval, you agree that if there are any manufacturing or product changes that may impact substrate performance you will have the product re-tested/ re-certified, to eliminate the risk of issues in the field as a result.



# **Media Certification for HP Latex**

**Evaluation Report** 





Vendor Name\*

**Neschen AG** 

Date of evaluation

March 9, 2015

Platform

Latex 360

**Substrate Information** 

Substrate Name

Solvoprint Performance Wallpaper

Lot Number

0

Substrate Type

Paper

Substrate Sub Type

Non Woven

Thickness / Weight

320 µm / 190 g/m2

#### **Certification Number**

September 23, 2015 - 17009

Qualification

PASS

**Certification Center** 

**Color Concepts NL** 

## **Profiling Process**

Printer	Ink	RIP	Pass Mode	Vacuum	Airflow	
Latex 360	LX 831C	Independent	10p bi_100	30	175	
Drying Temp.	Curing Temp.	Ink Limit	OMAS	WUDTO	PMIN	
N/A	105	N	E	N/A	N/A	
Image Quality						
Color Gamut		L*min		Area Fill Uniformi	ty	
455331		13,1		AVERAGE		
Media Printer Interaction						
Ink Transfer	Marks	Wrinkles	Dim. Stability		Rewetting	
N/A	GOOD	AVERAGE	-0,11%		GOOD, 23C, 62%	6RH
Image Handle Ability						
Folding/Creasing	Scratchability	Dry Rub	Wet Rub	Cross Cut	Ink Adhesion	Ink Cracking
N/A	GOOD	AVERAGE	N/A	N/A	AVERAGE	N/A
Ink Transter	Waterfastness					
N/A	N/A					

## **Overall Qualification**

PASS

## Comments

0

HP's "Media Certification Program" ("Program") supplies information to media manufacturers, suppliers, and customers to assist in evaluating media compatibility with printers and inks from HP's Graphics Solutions Business. Media is supplied by independent third-party manufacturers, Inclusion in the Program and "Certified for" media shall not be construited as an endorsement by HP for any of the media or manufacturers. HP makes no representation or warranty of any kind for any media in the Program including but not limited to media availability, media quality, media quality, media performance, or manufacturers changes that may impact any media distanctistics: In eliformation contained herein is subject to change without notice. HP makes no representation as to the Program information's completeness or accuracy. The on services are set forth in the opress warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall no the EukaEF GOR ANY DERCY, MORECT, MORECT, BORDETAL, MORENTAL, TOR HOR ELS NO EXPRESS OR IMPLED WARRANTY OF ANY KIND REGARDING THIS INFORMATION. HP SHALL NOTE EALE FOR ANY DERCY, MORECT, MORECT, SPECILIA, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER BASED ON CONTRACT, TORT OR ANY OTHER LEGAL THEORY IN CONNECTION WITH OR ARISING OUT OF THE FURNISHING OR USE OF THIS INFORMATION.

### In conjunction with Color Concepts

