



GeraFold pro-line

Off-line wide format folding solutions for demanding professionals

The perfect tools designed for users looking for innovative, performing, reliable and durable finishing solutions

- GeraFold 218
- GeraFold 218 Cut





GeraFold 218

- Off-line Folder and manual trimmer
- Large table to support constant workflow
- Space saver tiltable table
- Suitable for a wide range of folding requirements
- Folds documents of unlimited length
- Unique touch screen control board
- Folding speed: 15 A0/E per minute
- Suitable for any professional office or Reproshop


Versatility, performance & productivity

- · Variety of folding modes, styles, programs and customization by Touch screen control
- Possibility to handle a wide range of media (graphic & CAD)
- Efficient uninterrupted operator's workflow
- Manual Cutting device option allowing trimming of documents

A smart off-line finishing solution for wide format documents. Comfortable table support while folding but very compact when not in use! New design, rounded edges, elegant shapes and colors for office environment.

Main Characteristics

- Superior productivity thanks to the large table designed to support uninterrupted operator's workflow at I5A0/E size per minute
- Professional Folder for small & wide format documents,
 B&W and full colour prints
- Customizable folding programs & styles for special requirements by Touch Screen
- Unlimited fan folded length by module of 4 meters
- Cross folding up to 3 folds and thickness up to 8 panels.
- Silent and Reliable



Cross fold

•105, 210, 297, 300mm

• 8,5"(216),9" (228),11" (279),12"

•Margin: 0 - 30 mm Customizable

Features



•Copy:

•Length min: 410 mm - max: unlimited

•Width min 270mm - max 920mm

•Plain paper 60-110g/m²

•Weight 135 kg

•**Dimensions** 1310 x1140 x960 mm

•Power 230/115Vac 265 W

Technical requirements





GeraFold 218Cut





Since 1969 GERA

is the specialist in finishing systems for wide format printers and owns several patents. The company Mission is to provide "best in class", innovative and reliable solutions able to meet and exceed the expectations of the most demanding professionals. Gera products portfolio includes not only on-line and off-line folders but also manual trimmers and cutters distributed around the World.

Smart innovation generated by experience!

Gera is conducting R&D with focus on creating value from a customer use approach. Thanks to technology and smart ideas, new tools have been introduces to support precise folding and additional features, such as:

On board Manual Trimmer

The manual cutter has been designed to allow trimming of documents while folding. The A4/A package is obtained as follows.

- 1. Trim the copy lead and trail edge
- 2. Fan fold the trimmed document
- 3. Trim fan-folded package side edges
- 4. Cross fold to obtain A4/A package

Key benefits

- **Space:** trimmer & folder within the same footprint
- Efficient workflow: next trim can be handled during folding process
- **Investment:** one product instead of two to be purchased at the same time or added later
- Ease of operation, installation (15') and handling
- Trimming width: unlimited
- Media: 60 to 200 g/m²

Touch Screen

The new Touch screen control allows:

- 1. Easy job set-up
- 2. Full Customization of folding styles
- 3. Folding quality adjustment according to media type
- 4. Video tutorials for **installation** and **service** procedures

Key benefits

- Easy use and troubleshooting support
- Versatility: full customization of Map & Graphic fold
- Quick set up: folding programs, panel mode and styles are quickly and easily adapted to requirements
- Innovative: easy to navigate thanks to selfexplanatory graphic commands
- Useful remote support for technical engineers



Manual Cutter



Full customization of folding



Selection of Panel Mode



Touch Screen



Gera srl Strada del Cascinotto 132 10156 Turin – Italy Phone +39 011 223.91.37 Email welcome@gera.it

Technical Specifications

Folder foot print Depth 400 mm Depth 630 mm Depth 560 + 750 mm Depth 560 + 750 mm Width 140 mm Width 140 mm Width 140 mm Width 140 mm Width 140 mm Height 400 mm Height 970 mm Height 960 mm Height 1010 mm		Gerafold 206	Gerafold 212	Gerafold 218	Gerafold 218 Cut
Table			7		
Popular Foot prints	Product code	M206PROL	M212PROL	M218PROL	M218PROT
Mich 140 mm	Table	No	900x400 mm	Large size 900x1000 mm , foldable	Large size 900x1000 mm, foldable
Height 400 mm	Folder foot print	Depth 400 mm	Depth 630 mm	Depth 560 + 750 mm	Depth 560 + 750 mm
Min. 410 mm - Max 2.5m Min. 410 mm - Max unlimited by module of 4 m		Width 140 mm	Width 1140 mm	Width 1140 mm	Width 1140 mm
Cross Fold length		Height 400 mm	Height 970 mm	Height 960 mm	Height 1010 mm
Paper Pape	Fan Fold lenght	Min. 410 mm - Max 2,5m			Min. 410 mm - Max. unlimited by
Paper	Cross Fold lenght	Max. 1,2 m - A0			
Weight Wide			·		
Min 270 - Max 920mm		75_90 a/m²	60-110e/m²(maps 160 e/m²)	60-110g/m²/mans 160 g/m²)	60-110g/m²/maps 160 g/m²)
Noise 59 dBa 59 dBa 64 dBa 64 dBa 64 dBa 59 dBa 64 dBa 64 dBa 59 dBm 9 Admin 15 Admin			9 , , , , ,		
Programs				To the original Analysis and the control of the con	
Programs	TYOISE				
DIN C 210x297mm					
DINB 190x297mm Z10x305mm Z10x	Programs				
DINC 210x297mm	Standard	DIN C 210×297mm			
Tri-Fold: A4 split in 3 TAB 198 x 297mm TAB 198 x 297mm 210x305mm 210mm 210mm Afnor 297mm Afnor 297x210mm Afnor 297x210m					
Semidard			DIN C 210×297mm	DIN C 210x297mm	DIN C 210x297mm
175+35 margin			Tri-Fold: A4 split in 3	TAB 198 x 297mm	TAB 198 x 297mm
Afnor 297mm			180+30 margin ×297mm	210x305mm	210x305mm
			175+35 margin	185mm ×297mm	185mm ×297mm
Map fold 105mm x 8 panels			Afnor 297mm	185mm+25margin ×297mm	185mm+25margin ×297mm
ANSI 7.5"+1" margin x11" ANSI 7.5"+1" margin x11"			210mm	Afnor 297x210mm	Afnor 297x210mm
ANSI 8.5"x11" ANSI 8.5"x11" Arch 9" x 12" Arch 9" x 12" Arch 9" x 12" Map fold - Fully Customizable Map fold - F			Map fold 105mm x 8 panels	ANSI 7.5"x11"	ANSI 7.5"x11"
Arch 9" x 12" Map fold - Fully Customizable 185-190-198-210-220-297 mm 185-190-198-210-220-297 mm 7"-7,5"-8,5"-9"-10"-11" 7"-5"-10"-11" 7"-5"-10"-10"-10" 7"-5"-10"-10" 7"-5"-10"-11" 7"-5"-10"-10" 7"-5"-10"-10" 7"				ANSI 7.5"+1"margin ×11"	ANSI 7.5"+1"margin ×11"
Map fold - Fully Customizable Map fold - Fully Customizabl				ANSI 8.5"x11"	ANSI 8.5"x11"
Panel Mode				Arch 9" x 12"	Arch 9" x 12"
Panel Mode 210 mm				Map fold - Fully Customizable	Map fold - Fully Customizable
Crosss Fold 297 mm 210, 297 mm 205, 210, 297, 300 mm 3,5"(216),9"(228),11"(279),12"(305) 8,5"(216),9"(216),12"(20),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(216),12"(2	127414			185-190-198-210-220-297 mm	185-190-198-210-220-297 mm
20, 297 mm 210, 297 mm 8,5"(216),9"(228),11"(279),12"(305) 8,5"(216),9"(228,11"(279),12"(28),11"(279),12"(28,11"(279),12"(28),11"(279),12"(28),11"(279),12"(28),11"(279),12"(28,11"(279),12"(28),11"(279),12"(28),11"(279),12"(28,11"(279),1	Fan Fold	210 mm	210-190-297 mm	7"-7,5"-8,5"-9"-10"-11"	7"-7,5"-8,5"-9"-10"-11"
8,5"(216),9"(228),11"(279),12"(305) 8,5"(216),9"(228),11"(279),12"(305)				105, 210, 297, 300mm	105, 210, 297, 300mm
No	Crosss Fold	297 mm	210, 297mm	8,5"(216),9"(228),11"(279),12"(305)	8,5"(216),9"(228),11"(279),12"(30)
MAP Pottern 99mm x 3 panels Adjustable 90 to 420 mm Adjustable 90 to 420 mm Customize program No No By user Touch screen By user Touch screen Graphic plots No Yes (see Gera Brochure) Yes (see Gera Brochure) Yes (see Gera Brochure) Control Board No LED Touch screen Touch screen Trimming Option Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Standard Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 50 /60 Hz 125 W 50 /60 Hz 265W 50 /60 Hz 265W 50 /60 Hz 265W * Panel Mode A, First full last full	Panel Mode*	A	A, D	A,B,C,D	A,B,C,D
MAP Pottern 99mm x 3 panels Adjustable 90 to 420 mm Adjustable 90 to 420 mm Customize program No No By user Touch screen By user Touch screen Graphic plots No Yes (see Gera Brochure) Yes (see Gera Brochure) Yes (see Gera Brochure) Control Board No LED Touch screen Touch screen Trimming Option Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Standard Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 50 /60 Hz 125 W 50 /60 Hz 265W 50 /60 Hz 265W 50 /60 Hz 265W * Panel Mode A, First full last full	Margin	not available	20, 30 or 35 mm (pre-set)	0 to 30 pre-set & customizable	0 to 30 pre-set & customizable
No No No Sy user Touch screen Sy us			99mm x 3 panels	Adjustable 90 to 420 mm	
Customize program No No By user Touch screen By user Touch screen Graphic plots No Yes (see Gera Brochure) Yes (see Gera Brochure) Yes (see Gera Brochure) Control Board No LED Touch screen Touch screen Trimming Option Optional: G200XXXT Optional: G200XXXT Standard Trimming Width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Trimming Width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 230/ 115 Vac 50 /60 Hz 125 W 50 /60 Hz 125 W 50 /60 Hz 265 W 50 /60 Hz 265 W * Panel Mode A, First full last full B, First full last full C, First half last full D, First full, last full + margin	MAP Pattern	not available	105mm x 8 panels	panels 2 to 10	panels 2 to 10
Graphic plots No Yes (see Gera Brochure) Touch screen	Customize program	No		By user Touch screen	By user Touch screen
Control Board No LED Touch screen Touch screen Trimming Option No Optional: G200XXXT Optional: G200XXXT Standard Weight 56 kg - 123 lb Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Power 230/ 115 Vac 50 /60 Hz 265W D, First full, last full last fu	Graphic plots	No	Yes (see Gera Brochure)	Yes (see Gera Brochure)	Yes (see Gera Brochure)
Trimming Option Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/ 115 Vac 50 /60 Hz 265W 50 /60 Hz 125 W 50 /60 Hz 125 W 50 /60 Hz 265W 50 /60 Hz 265W 50 /60 Hz 265W * Panel Mode A, First full last not full B, First full last full		No			
Trimming Option Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/ 115 Vac 50 /60 Hz 265W 50 /60 Hz 125 W 50 /60 Hz 125 W 50 /60 Hz 265W 50 /60 Hz 265W 50 /60 Hz 265W * Panel Mode A, First full last not full B, First full last full					
Weight 56 kg - 123 lb 78 Kg - 172 lb 125 Kg - 275 lb 135 Kg - 298 lb Power 230/115 Vac 230/115 Vac 230/115 Vac 230/115 Vac 50 /60 Hz 125 W 50 /60 Hz 125 W 50 /60 Hz 265 W 50 /60 Hz 265 W * Panel Mode A, First full last not full B, First full last full C, First half last full last	Trimming Option				
Power 230/ 15 Vac 50 /60 Hz 265W 50 /60 Hz	Weight	56 kg - 123 lb			
* Panel Mode A, First full last not full B, First full last full C, First half last full D, First full last full D, First full last full	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
* Panel Mode A, First full ast not full					
* Panel Mode last full las					
	* Panel Mode				
Warranty 90 days 12 months 12 months					
intermedial contained benefit in third to the constitution of the constitution of the CERA and the constitution of the CERA and the CER	Warranty	90 days	12 months	I2 months	12 months

The information contained herein is subject to change without notice. The only warranties for GERA products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. GERA shall not be liable for technical or editorial errors or omissions contained herein. Rev. 04.2016



Gera srl Strada del Cascinotto 132 10156 Turin – Italy Phone +39 011 223.91.37 Email welcome@gera.it



