

2018



The perfect tools designed for users looking for innovative, performing, reliable and durable finishing solutions

- GeraFold 206
- GeraFold 212 Pro-solution
- GeraFold 218 Pro-system
- GeraFold 218 Cut Pro-system



(800) 520-6008



WWW.PLOT-IT.CO.UK 01905 454598





GeraFold Pro-line

Off-line folders & trimmers program designed to satisfy the needs of demanding professionals looking for flexible solutions able to meet a variety of specifications from CAD, Graphic plots to Maps or letters. GeraFold Pro-Line provides folded documents meeting all requirements. Some models allow trimming operation with the same equipment maximizing investment, space and productivity.

Off-line wide format folding solutions for demanding Professionals

- · Off-line Professional folders with trimming device option
- Suitable for any need of finishing: CAD drawings, Maps or Graphics
- Pre-set programs or free folding set up thanks to intuitive Touch Screen control board

New design, rounded edges, elegant shapes and colors for a complete line of Desktop or Freestanding folders conceived for office environment

GeraFold 206

Desktop folder designed to fold documents into A4/A (210x297). With a small budget and minimal space occupation it is possible to handle folding operation in house being able to face picks of work without spending extra time folding your documents by hand.

GeraFold 218

Freestanding professional folding equipment designed to fold in 12 styles plus unlimited Map patterns. Unlimited copy length at 20 m/min speed. Gerafold 218 with extra large table (foldable to reduce space) and **touch screen** control, represents the best option for those who are looking for a versatile and highly productive solution.

Option: Trimming device

GeraFold 212

Freestanding professional equipment designed to fold 8 styles including 2 Map patterns, tri-fold graphics at unlimited length at 12 m/min speed. Gerafold 212 represents the best price-performance combination for those organizations looking for a versatile solution

Option: Trimming device

GeraFold 218 Cut

Freestanding professional folding & Cutting equipment incorporating all features of GeraFold 218 offering the possibility to trim documents into standard configuration. A unique <u>all-in-one</u> solution which allows multiple job within the same space.

Trimming Device: Standard



Round edges

Large foldable table





Touch Screen

Trimming device



Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it





Since 1969 GERA

is **the specialist** in finishing systems for wide format printers and owns several **patents**. The company **Mission** is to provide "best in class", innovative and reliable solutions able to meet and exceed the expectations of the most demanding professionals. **Gera** products portfolio includes not only on-line and off-line folders but also manual trimmers and cutters distributed around the World.

Smart innovation generated by experience!

Gera is conducting R&D with focus on creating value from a customer use approach. Thanks to technology and smart ideas, new tools have been introduces to support precise folding and additional features, such as:

On board Manual Trimmer

The manual cutter has been designed to allow trimming of documents while folding. The A4/A package is obtained as follows.

- I. Trim the copy lead and trail edge
- 2. Fan fold the trimmed document
- 3. Trim fan-folded package side edges
- 4. Cross fold to obtain A4/A package

Key benefits

- Space: trimmer & folder within the same footprint
- Efficient workflow: next trim can be handled during folding process
- **Investment:** one product instead of two to be purchased at the same time or added later
- Ease of operation, installation (15') and handling
- Trimming width: unlimited
- Media: 60 to 200 g/m²

Touch Screen

The new Touch screen control allows:

- I. Easy job set-up
- 2. Full Customization of folding styles
- 3. Folding quality adjustment according to media type
- Video tutorials for installation and service procedures

Key benefits

- Easy use and troubleshooting support
- Versatility: full customization of Map & Graphic fold
- Quick set up: folding programs, panel mode and styles are quickly and easily adapted to requirements
- Innovative: easy to navigate thanks to selfexplanatory graphic commands
- Useful remote support for technical engineers



Manual Cutter



Full customization of folding



Selection of Panel Mode



Touch Screen



Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it



(800) 520-6008



GeraFold 206

- Desktop unit can be easily placed on an a desk
- Folds any document into A4/A package
- Folding speed:4.5 AO/E per minute
- Suitable for any professional office

Compact desktop solution

Desktop folder designed to fold wide format documents into A4/A letter size. With a small budget and minimal space occupation it is possible to handle folding operation in house being able to face picks of work without allocating extra time to fold documents by hand.

Main Characteristics

- Professional folder for engineering offices.
- Exceptional price/performance ratio
- Outstanding fold precision
- Fan fold & cross fold in 2 steps
- Maximum fan folding length 2,5 meters
- Cross folding up to 2 folds
- Plug & play device, easy to use & maintain
- Silent and Reliable













GeraFold 212

- Freestanding folder on wheels with 2 collection baskets
- Folds documents of **unlimited length** precisely
- Versatile solution folds CAD documents, Graphic Plots, Maps and A4/A into tri-fold
- Unique solution with trimming option
- Adjustable Folding speed: up to 9 A0/ E size /min.
- Suitable for any professional office or Reproshop

Free-standing Pro solution

Versatile folder that provides wide format CAD, Graphic documents and automatically folded in a variety of formats. The new design with rounded edges, the support with wheels and the possibility to add a trimming device makes this product unique

Main Characteristics

- Professional folder for wide format documents
- Perfect for engineering offices and print shops
- Productive with outstanding fold precision
- **3 feed speeds set-up** to secure the introduction of the document while keeping the maximum speed in the folding process
- Precise unlimited fan folded length by module of 4 meters
- Special Fold programs such as A4/A TriFold, MapFold and a wide fold-panel range
- Fan fold & cross fold in 2 steps
- Cross folding up to 3 folds and thickness up to 8 panels.
- · Silent and Reliable Plug & play device
- Trimming device **option** to be installed in 15'



· Copy: · Length min: 410 mm - max: unlimited • Width min 270 - max 920mm • Plain paper 60-110g/m² 78kg Weight • Dimensions 630x1140x970mm • Power 230/115Vac 125 W









Strada del Cascinotto 132 10156 Turin - Italy Phone +39 011 223.91.37 Email welcome@gera.it





GeraFold 218

- **Freestanding** folder with 2 collection baskets
- Large table to support constant workflow
- Space saver tiltable table
- Suitable for a wide range of folding requirements
- Folds documents of unlimited length
- Unique touch screen control board
- Folding speed: 15 A0/E size per minute
- Suitable for any professional office or Reproshop


Versatility, Performance & productivity

- Variety of folding modes, styles, programs and customization by Touch screen control
- Possibility to handle a wide range of media (graphic & CAD)
- · Efficient uninterrupted operator's workflow
- Manual Cutting device option allowing trimming of documents

A smart off-line solution for wide format documents. Comfortable table support while folding but very compact when not in use!

Main Characteristics

- Superior productivity thanks to the large table designed to support uninterrupted operator's workflow at I5A0/E size per minute
- Professional Folder for small & wide format documents, B&W and full colour prints
- Customizable folding programs & styles for special requirements by Touch Screen
- Precise unlimited fan folded length by module of 4 meters
- Cross folding up to 3 folds and thickness up to 8 panels.
- Silent and Reliable



- 105, 210, 297, 300mm
- 8,5"(216),9" (228),11" (279),12" (305)
- Margin: 0 30 mm Customizable

Features



Copy:

- · Length min: 410 mm max: unlimited
- Width min 270mm max 920mm
- Plain paper 60-110g/m²
- 125 kg Weight
- Dimensions 13101140 x960 mm
- Power 230/115Vac 265 W

Technical requirements





Trimming device Option





Gera srl

Strada del Cascinotto 132 10156 Turin - Italy Phone +39 011 223.91.37 Email welcome@gera.it





GeraFold 218 Cut

- Folder with manual trimmer
- Large table to support constant workflow
- Space saver tiltable table
- Suitable for a wide range of folding requirements
- Folds documents of unlimited length
- Unique touch screen control board
- Folding speed: 15 A0/E per minute
- Suitable for any professional office or Reproshop


All-in-one Pro-system for folding & trimming operations

A smart off-line solution for wide format documents. Comfortable table support while folding but very compact when not in use! Designed to fold automatically and manually trim a wide range of documents at high speed with outstanding quality.

Main Characteristics

- Folder with cutter for 60-200 g/m² media
- Superior productivity thanks to the large table designed to support uninterrupted operator's workflow at 15A0/E size per minute
- Professional Folder for small & wide format documents, B&W and full colour prints
- Customizable folding programs & styles for special requirements by Touch Screen
- Precise unlimited fan folded length by module of 4 meters
- Cross folding up to 3 folds and thickness up to 8 panels.
- Silent and Reliable





- Cross fold
- •105, 210, 297, 300mm
- 8,5"(216),9" (228),11" (279),12" (305)
- Margin: 0 30 mm Customizable

• Copy:

• Length min: 410 mm - max: unlimited

• Width min 270mm - max 920mm

• Plain paper 60-110g/m²

Weight 135 kg

• **Dimensions** 1310 x1140 x960 mm

• **Power** 230/115Vac 265 W

Technical requirements





Trimming device Standard









Gera srl

Strada del Cascinotto 132 10156 Turin – Italy Phone +39 011 223.91.37 Email welcome@gera.it





Technical Specifications

Gerafold 206	Gerafold 212	Gerafold 218	Gerafold 218 Cut
M206PROL	M212PROL	M218PROL	M218PROT
Feeding guide	900x400 mm	Large size 900x1000 mm , foldable	Large size 900×1000 mm , foldable
Depth 400 mm	Depth 630 mm	Depth 560 + 750 mm	Depth 560 + 750 mm
Width 1140 mm	Width 1140 mm	Width I I 40 mm	Width I I 40 mm
Height 400 mm	Height 970 mm	Height 960 mm	Height 1010 mm
Min. 410 mm - Max 2,5m	Min. 410 mm - Max. unlimited by	Min. 410 mm - Max. unlimited by	Min. 410 mm - Max. unlimited by module of 4 m
Max. 1.2 m - A0			up to 1,68m - 2 A0
75 90 g/m²	60-110g/m²(maps 160 g/m²)	60 110g/m²(maps 160 g/m²)	60-110g/m²(maps 160 g/m²)
			Min 270 - Max 920mm
			64 dBa
			15 A0/min
6 m/min	Adjustable 6-9-12 m/min	20 m/min	20 m/min
	BW14 100 100 1 007	DILLA 100.00	DIN 14 100 00 1 007
DIN C 210x297mm			DIN A 190+20margin x297mm
Standard			DIN B 190x297mm
			DIN C 210x297mm
	Tri-Fold: A4 split in 3		TAB 198 x 297mm
	180+30 margin ×297mm	210×305mm	210x305mm
	175+35 margin	185mm ×297mm	185mm ×297mm
	Afnor 297mm	185mm+25margin ×297mm	185mm+25margin x297mm
	210mm	Afnor 297×210mm	Afnor 297x210mm
	Map fold 105mm x 8 panels	ANSI 7.5"x11"	ANSI 7.5"x11"
		ANSI 7.5"+1"margin x11"	ANSI 7.5"+1"margin ×11"
		ANSI 8.5"x11"	ANSI 8.5"x11"
		Arch 9" × 12"	Arch 9" ×12"
		Map fold - Fully Customizable	Map fold - Fully Customizable
		185-190-198-210-220-297 mm	185-190-198-210-220-297 mm
210 mm	210-190-297 mm	7"-7,5"-8,5"-9"-10"-11"	7"-7,5"-8,5"-9"-10"-11"
297 mm	210, 297mm		105, 210, 297, 300mm
			8,5"(216),9"(228),11"(279),12"(30
			A,B,C,D
not available			0 to 30 pre-set & customizable
not available			Adjustable 90 to 420 mm panels 2 to 10
No			By user Touch screen
			Yes (see Gera Brochure)
			Touch screen
IVO			Standard
541 10011			
56 kg - 123 lb			135 Kg - 298 lb
230/ 115Vac	230/ 115Vac	230/ 115 Vac	230/ 115 Vac
50 /60 Hz 125 W	50 /60 Hz 125 W	50 /60 Hz 265W	50 /60 Hz 265W
		C Frank W	D F: 6 II
A, First full	B, First full	C, First half	D, First full,
	M206PROL Feeding guide Depth 400 mm Width 1140 mm Height 400 mm Min. 410 mm - Max 2,5m Max. 1,2 m - A0 75-90 g/m² Min 297 - Max 920mm 59 dBa 4,5 A0/min 6 m/min DIN C 210x297mm 210 mm 297 mm A not available not available No No No No No No 156 kg - 123 lb 230/115Vac	M216PROL Feeding guide 900x400 mm Depth 400 mm Depth 630 mm Width 1140 mm Height 400 mm Height 400 mm Min. 410 mm - Max. unlimited by module of 4 m Max. 1.2 m - A0 Up to 1.68 m - 2 A0 Min. 297 - Max 920mm 59 dBa 4.5 A0/min Adjustable 6-9-12 m/min Adjustable 6-9-12 m/min DIN C 210x297mm DIN C 210x297mm DIN C 210x297mm DIN C 210x297mm Tri-Fold: A4 split in 3 180+30 margin x297mm 175+35 margin Afnor 297mm 210mm Map fold 105mm x 8 panels 105mm x 6 panel	M206PROL M218PROL M218PROL Feeding guide 900x400 mm Large size 900x1000 mm foldable Depth 600 mm Depth 630 mm Depth 550 + 750 mm Width 1140 mm Height 900 mm Min. 410 mm Height 970 mm Height 960 mm Min. 410 mm - Max. unlimited by module of 4 m module of

The information contained herein is subject to change without notice. The only warranties for GERA products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. GERA shall not be liable for technical or editorial errors or omissions contained herein. Rev. 02.2017



Sara erl

Strada del Cascinotto 132 10156 Turin – Italy Phone +39 011 223.91.37 Email welcome@gera.it



(800) 520-6008



Nationwide Service
Government Sales

Certified Veteran-Owned