

SureColor SC-P9500



This large format printer (44-inch) offers versatility and exceptional quality across many applications.

The SureColor SC-P9500 (44-inch) has been developed for photographers and artists, as it offers reliable reproduction for professional proofing and a rapid throughput for high-volume production. This is Epson's first 12-colour large-format printer and offers a wide colour gamut with 99% Pantone coverage¹.

High quality with 12-colour inkset

Epson's UltraChrome Pro12 inkset, with K3 technology, outputs both black inks simultaneously, and includes orange, green and violet, which provides the user with impressive colour accuracy. The SC-P9500 is great for professional photographers and fine art production, and those who demand the highest print quality to make their art more marketable to the discerning buyer.

Designed for business productivity

The SC-P9500 (44-inch) combines high-speed production with quality, thanks to the μ TFP12 printhead with 300dpi resolution and 12 channels. Users will further benefit from the sealed main unit that provides dust protection, and the ink sub-tanks that provide continuous printing, even if ink levels are low.

Precision matters

With Epson colour measurement, checking and correction technologies, packaging and contract proofers can now work with more efficiency and greater confidence.

Easy and intuitive handling

Users will benefit from a highly-intuitive 4.3-inch LCD touchscreen (with a user-friendly interface), internal illumination to watch print progress easily, and large status LED to easily check from a distance. Also, everything is designed to work in harmony as Epson offers the complete solution – printer, inks, substrates, software and support.

KEY FEATURES

- **Quality output (up to 44-inch)**
Epson's UltraChrome Pro12 inkset, with K3 technology
- **Productivity**
Truly impressive production speeds
- **Reliability**
Nossle Verification Technology and dust prevention
- **Ease of use**
4.3-inch touchscreen LCD panel with user-friendly interface
- **Colour accuracy**
Wide colour gamut with 99% Pantone coverage¹

PRODUCT SPECIFICATIONS

SureColor SC-P9500

TECHNOLOGY

Printing Method	PrecisionCore™ Micro TFP printhead
Ink Technology	UltraChrome® Pro12

PRINT

Colours	Photo Black, Matte Black, Cyan, Light Cyan, Yellow, Vivid Magenta, Vivid Light Magenta, Violet, Orange, Green, Grey, Light Grey
Ink tank capacity	700 ml
Minimum Droplet Size	3.5 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Printing Resolution	1,200 x 2,400 dpi

PAPER / MEDIA HANDLING

Paper Formats	A1, A2, A2+, A2++, A3+, A3++, A3, A4, 17" (43.2 cm), 24" (61.0 cm), B2, B3, B4, A0, B1, 36" (91.4 cm), 44" (111.8 cm)
Compatible Paper Thickness	0.08 mm - 1.5 mm
Borderless printing on	254 mm, 300 mm, 329 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm, 914 mm, 1030 mm, 1118 mm, 508 mm (20")

GENERAL

Energy Use	110 W, 32 W (economy), 3.4 W (standby), 0.3 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,909 x 667 x 1,218 mm (Width x Depth x Height)
Product weight	121.7 kg
Sound Power	Operation: 7.5 B (A)
Noise Level	Operation: 49.5 dB (A)

OTHER FEATURES

Memory	Printer: 2 GB
Emulations	ESC/P-R, Adobe® Postscript 3® (optional)
Features	Touchscreen

OTHER

Interfaces	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)
------------	---

LCD AND MEMORY CARDS

LCD screen	Type: Colour, Touch-panel
------------	---------------------------

OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

SUPPLIES

● Borderless Replacement Pad Kit SC-Px500	C13S210102
● WaterResistant Matte Canvas Roll, 44" x 12,2 m, 375g/m{s2}	C13S042016
● WaterResistant Matte Canvas Roll, 24" x 12,2 m, 375g/m{s2}	C13S042014
● WaterResistant Matte Canvas Roll, 17" x 2,1 m, 375g/m{s2}	C13S042011
● WaterResistant Matte Canvas Roll, 17" x 12,2 m, 375g/m{s2}	C13S042013
● WaterResistant Matte Canvas Roll, 13" x 6,1 m, 375g/m{s2}	C13S042012
● WaterColor Paper - Radiant White, DIN A3+, 190g/m{s2}, 20 Sheets	C13S041352
● Water Color Paper - Radiant White Roll, 44" x 18 m, 190g/m{s2}	C13S041398
● Water Color Paper - Radiant White Roll, 24" x 18 m, 190g/m{s2}	C13S041396
● Velvet Fine Art Paper, DIN A2, 260g/m{s2}, 25 Sheets	C13S042096
● Velvet Fine Art Paper, A3+, 260g/m{s2}, 20 Blatt	C13S041637
● UltraSmooth Fine Art Paper, DIN A2, 325g/m{s2}, 25 Sheets	C13S042105
● UltraSmooth Fine Art Paper, A3+, 325g/m{s2}, 25 Blatt	C13S041896
● UltraSmooth Fine Art Paper Roll, 44" x 15,2 m, 250g/m{s2}	C13S041783
● UltraSmooth Fine Art Paper Roll, 24" x 15,2 m, 250g/m{s2}	C13S041782
● UltraSmooth Fine Art Paper Roll, 17" x 15,2 m, 250g/m{s2}	C13S042074
● Traditional Photo Paper, DIN A4, 330g/m{s2}, 25 Sheets	C13S045050
● Traditional Photo Paper, DIN A3+, 330g/m{s2}, 25 Sheets	C13S045051
● Traditional Photo Paper, DIN A2, 330g/m{s2}, 25 Sheets	C13S045052
● Traditional Photo Paper, 44" x 15 m	C13S045056
● Traditional Photo Paper, 24" x 36", 330g/m{s2}, 25 Sheets	C13S045053
● Traditional Photo Paper, 24" x 15 m	C13S045055
● Traditional Photo Paper, 17"x 15m	C13S045054
● Standard Proofing Paper, DIN A3+, 205g/m{s2}, 100 Sheets	C13S045005
● Standard Proofing Paper, DIN A2, 205g/m{s2}, 50 Sheets	C13S045006
● Standard Proofing Paper, 44" x 50m, 205g/m{s2}	C13S045009
● Standard Proofing Paper, 24" x 50m, 205g/m{s2}	C13S045008
● Standard Proofing Paper, 17" x 50m, 205g/m{s2}	C13S045007
● Standard Proofing Paper OBA DIN A3+ 100 Sh	C13S450190
● Standard Proofing Paper OBA 44" x 30.5 m	C13S450189
● Standard Proofing Paper OBA 24" x 30.5 m	C13S450188
● Singleweight Matte Paper Roll, 44" x 40 m, 120g/m{s2}	C13S041855
● Singleweight Matte Paper Roll, 24" x 40 m, 120g/m{s2}	C13S041853
● Singleweight Matte Paper Roll, 17" x 40 m, 120g/m{s2}	C13S041746
● Self-Adhesive Standard Proofing Paper 205, 17" x 30,5m	C13S045148
● Self adhesive STANDARD Proofing Paper 205 24" x 30.5m	C13S045149
● Proofing Paper White Semimatte, DIN A3+, 100 Sheets	C13S042118
● Proofing Paper White Semimatte, 44" x 30,5 m, 250g/m{s2}	C13S042006
● Proofing Paper White Semimatte, 24" x 30,5 m, 250g/m{s2}	C13S042004
● Proofing Paper White Semimatte, 17" x 30,5 m, 250g/m{s2}	C13S042003
● Proofing Paper White Semimatte, 13" x 30,5 m, 250g/m{s2}	C13S042002
● Presentation Matte Paper Roll, 44" x 25 m, 172g/m{s2}	C13S041220
● Presentation Matte Paper Roll, 24" x 25 m, 172g/m{s2}	C13S041295

LOGISTICS INFORMATION

SKU	C11CH13301A1
EAN code	8715946680613
Country of Origin	China



For more information please contact:

Home users: 0343 90 37766

Business users*: 0871 42 37766

Republic of Ireland: 01 436 7742

Or visit us at <https://www.epson.co.uk/contactus>

* 10p per minute plus network extras.

Web: www.epson.co.uk

www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.

Product information is subject to change without prior notice.

Last extracted: 2019-12-19

SureColor SC-P9500

1. PANTONE is the property of Pantone LLC. 99% gamut coverage of PANTONE FORMULA GUIDE solid coated palette based on Epson Proofing Paper White Semi-matte printed with Epson printer driver at 2400x1200dpi and Epson genuine ink. PANTONE coverage may vary when printed with other conditions.