



STANDARD VINYL SA 280 MATT

matt 3635, 145 µm

Universal, permanently adhesive vinyl film for signs and advertising media

Standard Vinyl is a matt finished, monomeric PVC film with a permanent adhesive for printing with aqueous inks. It is suitable for adhesion to flat and smooth surfaces. It is therefore an optimum solution for the production of POS applications and other indoor display and sign applications. Thanks to its water-resistant coating; this film is also suitable for short-term outdoor applications when printed with pigment inks. The prints impress with high colour saturation, while quick drying times ensure a hassle-free and efficient printing process.

Advantages

- Brilliant colour reproduction
- Quick dry
- Splashproof prints for short-term outdoor applications
- Permanent, waterbased adhesive

General tips

The converting and storage should take place in a climate from 35 to 65% to relative humidity at a temperature from 10° to 25° C. Keep the product in the original packaging (cardboard box and PE bag). The material should be stored in its hanging fixations of the box. Optimal printing results can be achieved when printed within 6 months after delivery. It is always recommended that cotton gloves be used when handling InkJet coated materials to avoid fingerprints.

Physical data

Name	Value	Norm
Test conditions	23° C / 50% R.F.	
Weight [g/m ²]	290	ISO 536
Weight (without liner/ adhesive) [g/m ²]	155	ISO 536
Thickness (film) [µm]	280	ISO 4593
Thickness (film without liner / adhesive) [µm]	145	4593
pH value	14	DIN 53124
Adhesion strength on V2A (24h) [N/25mm]	5-6	FTM 1
ISO Brightness [%]	100	ISO 2470- 1

Technologies



Properties



The values stated above are only for orientation. Before using our print media please check its compatibility for your printer and the intended application. We cannot be held responsible for any mistakes resulting from technically modified printers and/ or inks. Product design changes to our products technical developments may be carried out without prior notice.