

01905 454 598 Order online or call





POSTER PAPER PRO 130 MATT

matt 3673, 130 g/m²

Matt finish poster paper for outdoor and indoor applications

This multi-coated, weatherproof poster paper with high wet-strength and a matt finish is suitable for printing with solvent, latex and UV-curing inks. Prints impress with a homogeneous printed image, good scratch resistance and very good folding endurance. Poster Paper Pro 130 qualifies for outdoor billboard applications.

Advantages

- Homogeneous printed image
- · Water-repellent surface
- Very good folding endurance

General tips

- Please note when printing with any of the 300 series HP Latex printer, to print roll
- The ink amounts must be adjusted to the paper. Please reduce the single colours cyan, magenta, yellow and black (ink restrictions) and lower the maximum amount of ink (ink limt). This will help your costs on inks and improve your drying performance.
- Please follow the recommondations of the printer and ink manufacturer. The temperature for preheating and drying the media should be checked previously to make sure you achieve desired results.
- To maintain the high quality of the paper, it should be stored and converted in a climate of 30-65 % relative humidity and temperatures of 10-30 °C (50-86 °F).
- Latex / IR hardening ink is not fully water-resistant.

Physical data

| Name | Value | Norm |
|--------------------------|-------------------------------|---------------|
| Weight [g/m²] | 130 | ISO 536 |
| Thickness (total) [µm] | 155 | ISO 534 |
| Opacity [%] | >96 | ISO 2471 |
| Chromaticity (D50/2°) M0 | L* 93.6 / a* 1.4 / b* -6.5 | ISO 13655, M0 |

Technologies







Properties





your printer and the intended application. We cannot be held responsible for any mistakes resulting from technical changes in the printing process and with printing components. Product design changes to our products technical developments may be carried out without prior

The values stated above are only for orientation. Before using our print media please check its compatibility for

01.10.2018 Page 1/1

www.plot-it.co.uk