HP Universal Heavyweight Coated Paper, 3-in Core for **HP PageWide Technology**





The HP large format printing system—the complete solution

HP PageWide XL, HP Designjet, and HP Latex printers, Original HP inks-including HP PageWide XL pigment inks—and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



HP trademark license code FSC®-C017543. see fsc.org. Not all FSC®-certified products are available in all regions.

Achieve economical, heavyweight high-production printing

Accomplish more with consistent results every time

From working comps and design proofs to POP signage and special event posters, see highquality, consistent image quality from this paper designed for high-production environments.

Make the economical choice for everyday prints

Meet your everyday printing needs and enjoy consistent, high-quality results with this economical heavyweight matte coated paper.

Add flexibility—this paper is FSC® certified1

Use this high-quality printing material across a broad range of HP printers including HP PageWide XL printers. And get added flexibility with this recyclable, FSC®-certified paper¹ that supports the development of responsible forest management worldwide.

Target customers	Applications	Benefits	
Architects	Architecture (AEC) and engineering (MCAD)	High-production printing	
Engineers	Geographic Information Systems (GIS)	Consistent, high-quality results	
Geographic Information Systems (GIS) professionals	Posters and presentations	Cost-effective for everyday use	
Graphic designers	POP and retail displays	Recyclable through commonly available programs	
Print service providers		FSC®-certified paper ¹	



Technical specifications



HP Universal Heavyweight Coated Paper, 3-in Core for HP PageWide Technology

For the latest ICC profiles/paper presets, please visit <u>HPLFMedia.com/t/paperpresets</u>.

Weight	125 g/m² per ISO 536 Test Method, (35 lbs)				
Ink compatibility	Original HP Latex Inks, HP dye- and pigment-based inks including HP PageWide XL pigment inks				
Thickness	172 microns/6.8 mil per ISO 534 Test Method				
Opacity	Greater than 90% per TAPPI T-425 Test Method				
Brightness	Greater than 95% per TAPPI T-452 Test Method				
Whiteness	130 per CIE Ganz 82 Test Method				
Finish	Matte				
Operating temperature	15 to 30° C / 59 to 86° F				
Operating humidity	30 to 70% RH				
Dry time	Immediate (at 23° C, 50% RH)				
Shelf life	2 years, unopened in original packaging				
Storage temperature	5 to 40° C / 41 to 104° F				
Storage humidity	10 to 80% RH				
Recyclability	Recyclable through commonly available recycling programs				
Country of origin	Product of France				
Ordering information	Product numbers	Roll sizes	UPC codes	Region	
	L5C79A	(A0) 841 mm x 91,4 m	848412015898	Europe	
	L5C80A	914 mm x 91,4 m (36 in x 300 ft)	848412015904	US, Asia, Europe	
	L5C81A	1016 mm x 91,4 m (40 in x 300 ft)	848412015911	US, Asia, Europe	
Warranty	statement, please	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/t/mediawarranties . To obtain warranty service, please contact HF customer support.			





Note: Not all FSC®-certified products are available in all regions.

For detailed information on the HP large format printing materials portfolio and to order, visit <u>HPLFMedia.com</u>

© 2019 HP Development Company, L.P. © 2019 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

