

2018

GeraFold pro-line

Off-line wide format folding solutions
for demanding professionals

The perfect tools designed for users looking for innovative,
performing, reliable and durable finishing solutions

- GeraFold 206
- GeraFold 212 - *Pro-solution*
- GeraFold 218 - *Pro-system*
- GeraFold 218 Cut - *Pro-system*



WWW.PLOT-IT.CO.UK
ORDER ONLINE OR CALL
01905 454598

M111227
06/05/2018





GeraFold Pro-line

Off-line folders & trimmers program designed to satisfy the needs of demanding professionals looking for flexible solutions able to meet a variety of specifications from CAD, Graphic plots to Maps or letters. **GeraFold Pro-Line** provides folded documents meeting all requirements. Some models allow trimming operation with the same equipment maximizing investment, space and productivity.

Off-line wide format folding solutions for demanding Professionals

- **Off-line Professional folders with trimming device option**
- **Suitable for any need of finishing: CAD drawings, Maps or Graphics**
- **Pre-set programs or free folding set up thanks to intuitive Touch Screen control board**

New design, rounded edges, elegant shapes and colors for a complete line of Desktop or Freestanding folders conceived for office environment

GeraFold 206

Desktop folder designed to fold documents into A4/A (210x297). With a small budget and minimal space occupation it is possible to handle folding operation in house being able to face picks of work without spending extra time folding your documents by hand.

GeraFold 212

Freestanding professional equipment designed to fold 8 styles including 2 Map patterns, tri-fold graphics at unlimited length at 12 m/min speed. Gerafold 212 represents the best price-performance combination for those organizations looking for a versatile solution

Option: Trimming device

GeraFold 218

Freestanding professional folding equipment designed to fold in 12 styles plus unlimited Map patterns. Unlimited copy length at 20 m/min speed. Gerafold 218 with extra large table (foldable to reduce space) and **touch screen** control, represents the best option for those who are looking for a versatile and highly productive solution.

Option: Trimming device

GeraFold 218 Cut

Freestanding professional folding & Cutting equipment incorporating all features of GeraFold 218 offering the possibility to trim documents into standard configuration. A unique **all-in-one** solution which allows multiple job within the same space.

Trimming Device: Standard




Round edges



Large foldable table



Touch Screen



Trimming device



Gera srl

Strada del Cascinotto 132

10156 Turin – Italy

Phone +39 011 223.91.37

Email welcome@gera.it

Since 1969 GERA

is **the specialist** in finishing systems for wide format printers and owns several **patents**. The company **Mission** is to provide “**best in class**”, **innovative** and **reliable** solutions able to meet and exceed the expectations of the most demanding professionals. **Gera** products portfolio includes not only **on-line** and **off-line folders** but also manual trimmers and cutters distributed around the World.

Smart innovation generated by experience!

Gera is conducting R&D with focus on creating value from a customer use approach. Thanks to technology and smart ideas, new tools have been introduced to support precise folding and additional features, such as:

On board Manual Trimmer

The **manual cutter** has been designed to allow trimming of documents while folding. The A4/A package is obtained as follows.

1. **Trim** the copy lead and trail edge
2. **Fan fold** the trimmed document
3. **Trim** fan-folded package side edges
4. **Cross fold** to obtain A4/A package

Key benefits

- **Space:** trimmer & folder within the same footprint
- **Efficient workflow:** next trim can be handled during folding process
- **Investment:** one product instead of two to be purchased at the same time or added later
- **Ease of operation, installation (15')** and handling
- **Trimming width:** unlimited
- **Media:** 60 to 200 g/m²

Touch Screen

The new **Touch screen** control allows:

1. **Easy** job set-up
2. **Full Customization** of folding styles
3. Folding quality adjustment according to media type
4. Video tutorials for **installation** and **service** procedures

Key benefits


- **Easy** use and troubleshooting support
- **Versatility:** full customization of Map & Graphic fold
- **Quick set up:** folding programs, panel mode and styles are quickly and easily adapted to requirements
- **Innovative:** easy to navigate thanks to self-explanatory graphic commands
- **Useful remote support** for technical engineers



Manual Cutter



Full customization of folding



Selection of Panel Mode



Touch Screen

Gera srl

Strada del Cascinotto 132

10156 Turin – Italy

Phone +39 011 223.91.37

Email welcome@gera.it

GeraFold 206

- Desktop unit can be easily placed on a desk
- Folds any document into A4/A package
- Folding speed: 4.5 A0/E per minute
- Suitable for any professional office

Compact desktop solution

Desktop folder designed to fold wide format documents into A4/A letter size. With a small budget and minimal space occupation it is possible to handle folding operation in house being able to face picks of work without allocating extra time to fold documents by hand.


Main Characteristics

- Professional folder for engineering offices.
- Exceptional price/performance ratio
- Outstanding fold precision
- Fan fold & cross fold in 2 steps
- Maximum fan folding length 2,5 meters
- Cross folding up to 2 folds
- Plug & play device, easy to use & maintain
- Silent and Reliable



- **Speed** 6 m/min 4,5 A0/min
- **Process** Fan and cross folding in two steps
- **Fan Step** 210 mm
- **Cross Step** 297 mm

Features



- **Copy:**
- **Length** min: 410 mm max: 2,5meters
- **Width** min 297 - max 920mm
- **Plain paper** 75-90g/m²
- **Weight** 56 kg
- **Dimensions** 400x1140x400 mm
- **Power** 230/115Vac 125 W

Technical requirements



Gera srl

Strada del Cascinotto 132

10156 Turin - Italy

Phone +39 011 223.91.37

Email welcome@gera.it

GeraFold 212

- **Freestanding** folder on wheels with **2 collection baskets**
- Folds documents of **unlimited length** precisely
- **Versatile** solution folds CAD documents, Graphic Plots, Maps and A4/A into tri-fold
- Unique solution with **trimming option**
- Adjustable Folding speed: up to 9 A0/ E size /min.
- Suitable for any professional office or Reproshop

Free-standing Pro solution

Versatile folder that provides wide format CAD, Graphic documents and Maps automatically folded in a variety of formats. The new design with rounded edges, the support with wheels and the possibility to add a trimming device makes this product unique

Main Characteristics

- Professional folder for wide format documents
- Perfect for engineering offices and print shops
- Productive with outstanding fold precision
- **3 feed speeds set-up** to secure the introduction of the document while keeping the maximum speed in the folding process
- Precise unlimited fan folded length by module of 4 meters
- **Special Fold** programs such as A4/A TriFold, MapFold and a wide fold-panel range
- Fan fold & cross fold in 2 steps
- Cross folding up to **3 folds** and thickness up to 8 panels.
- Silent and Reliable Plug & play device
- Trimming device **option** to be installed in 15'




• Speed	Adjustable 6, 9 and 12 m/min 9 A0/min
• Process folding	Fan and cross
• Fan Fold	210/190 /297mm
• Cross fold	297 / 300 / 305 mm
• Margin:	20 mm 30 mm 35mm

Features



• Copy:	
• Length min: 410 mm - max: unlimited	
• Width min 270 - max 920mm	
• Plain paper	60-110g/m ²
• Weight	78kg
• Dimensions	630x1140x970mm
• Power	230/115Vac 125 W

Technical requirements



Trimming device Option



Gera srl

Strada del Cascinotto 132

10156 Turin - Italy

Phone +39 011 223.91.37

Email welcome@gera.it

GeraFold 218

- **Freestanding** folder with 2 collection baskets
- **Large table** to support constant workflow
- Space saver **tiltable table**
- Suitable for a wide range of folding requirements
- Folds documents of **unlimited length**
- Unique **touch screen** control board
- Folding speed: **15 A0/E size per minute**
- Suitable for any professional office or Reproshop

Versatility, Performance & productivity

- **Variety of folding modes, styles, programs and customization by Touch screen control**
- **Possibility to handle a wide range of media (graphic & CAD)**
- **Efficient uninterrupted operator's workflow**
- **Manual Cutting device option allowing trimming of documents**

A smart off-line solution for wide format documents. Comfortable table support while folding but very compact when not in use!

Main Characteristics

- **Superior productivity** thanks to the large table designed to support uninterrupted operator's workflow at 15A0/E size per minute
- **Professional Folder** for small & wide format documents, B&W and full colour prints
- **Customizable folding programs & styles** for special requirements by **Touch Screen**
- **Precise unlimited fan folded length** by module of 4 meters
- **Cross folding up to 3 folds** and thickness up to 8 panels.
- **Silent and Reliable**




• **Speed** 20 m/min 15 A0/min
• **Fan Fold** 185-190-198-210-220-297 mm
7"-7,5"-8,5"-9"-10"-11"
• **Cross fold**
• 105, 210, 297, 300mm
• 8,5" (216), 9" (228), 11" (279), 12" (305)
• **Margin:** 0 - 30 mm Customizable

Features



• **Copy :**
• **Length** min: 410 mm - max: unlimited
• **Width** min 270mm - max 920mm
• **Plain paper** 60-110g/m²
• **Weight** 125 kg
• **Dimensions** 1310x1140x960 mm
• **Power** 230/115Vac 265 W

Technical requirements



Trimming device Option



Gera srl

Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

GeraFold 218 Cut

- Folder with manual **trimmer**
- **Large table** to support constant workflow
- Space saver **tiltable table**
- Suitable for a wide range of folding requirements
- Folds documents of **unlimited length**
- Unique **touch screen** control board
- Folding speed: **15 A0/E per minute**
- Suitable for any professional office or Reproshop

All-in-one Pro-system for folding & trimming operations

A smart off-line solution for wide format documents. Comfortable table support while folding but very compact when not in use! Designed to fold automatically and manually trim a wide range of documents at high speed with outstanding quality.

Main Characteristics

- **Folder** with cutter for 60-200 g/m² media
- **Superior productivity** thanks to the large table designed to support uninterrupted operator's workflow at 15A0/E size per minute
- **Professional Folder** for small & wide format documents, B&W and full colour prints
- **Customizable folding** programs & styles for special requirements by Touch Screen
- **Precise unlimited fan folded length** by module of 4 meters
- **Cross** folding up to **3** folds and thickness up to 8 panels.
- **Silent and Reliable**




- **Speed** 20 m/min 15 A0/min
- **Fan Fold** 185-190-198-210-220-297 mm
7"-7,5"-8,5"- 9"-10"-11"
- **Cross fold**
 - 105, 210, 297, 300mm
 - 8,5" (216), 9" (228), 11" (279), 12" (305)
- **Margin:** 0 - 30 mm Customizable

Features



- **Copy :**
 - **Length** min: 410 mm - max: unlimited
 - **Width** min 270mm - max 920mm
- **Plain paper** 60-110g/m²
- **Weight** 135 kg
- **Dimensions** 1310 x 1140 x 960 mm
- **Power** 230/115Vac 265 W

Technical requirements



Trimming device Standard



Gera srl

Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

Technical Specifications

	Gerafold 206	Gerafold 212	Gerafold 218	Gerafold 218 Cut
				
Product code	M206PROL	M212PROL	M218PROL	M218PROT
Table	Feeding guide	900x400 mm	Large size 900x1000 mm , foldable	Large size 900x1000 mm , foldable
Folder foot print	Depth 400 mm Width 1140 mm Height 400 mm	Depth 630 mm Width 1140 mm Height 970 mm	Depth 560 + 750 mm Width 1140 mm Height 960 mm	Depth 560 + 750 mm Width 1140 mm Height 1010 mm
Fan Fold lenght	Min. 410 mm - Max 2,5m	Min. 410 mm - Max. unlimited by module of 4 m	Min. 410 mm - Max. unlimited by module of 4 m	Min. 410 mm - Max. unlimited by module of 4 m
Cross Fold lenght	Max. 1,2 m - A0	up to 1,68 m - 2 A0	up to 1,68m - 2 A0	up to 1,68m - 2 A0
Paper				
weight	75-90 g/m²	60-110g/m² (maps 160 g/m²)	60-110g/m² (maps 160 g/m²)	60-110g/m² (maps 160 g/m²)
Width	Min 297 - Max 920mm	Min 270 - Max 920mm	Min 270 - Max 920mm	Min 270 - Max 920mm
Noise	59 dBA	59 dBA	64 dBA	64 dBA
Speed	4,5 A0/min 6 m/min	9 A0/min Adjustable 6-9-12 m/min	15 A0/min 20 m/min	15 A0/min 20 m/min
Programs				
Standard	DIN C 210x297mm	DIN A 190+20 margin x297mm	DIN A 190+20margin x297mm	DIN A 190+20margin x297mm
		DIN B 190x297mm	DIN B 190x297mm	DIN B 190x297mm
		DIN C 210x297mm	DIN C 210x297mm	DIN C 210x297mm
		Tri-Fold: A4 split in 3	TAB 198 x 297mm	TAB 198 x 297mm
		180+30 margin x297mm	210x305mm	210x305mm
		175+35 margin	185mm x297mm	185mm x297mm
		Afnor 297mm	185mm+25margin x297mm	185mm+25margin x297mm
		210mm	Afnor 297x210mm	Afnor 297x210mm
		Map fold 105mm x 8 panels	ANSI 7.5"x11"	ANSI 7.5"x11"
			ANSI 7.5"+1"margin x11"	ANSI 7.5"+1"margin x11"
Fan Fold	210 mm	210-190-297 mm	185-190-198-210-220-297 mm	185-190-198-210-220-297 mm
			7"-7,5"-8,5"-9"-10"-11"	7"-7,5"-8,5"-9"-10"-11"
			105, 210, 297, 300mm	105, 210, 297, 300mm
			8,5"(216), 9"(228), 11"(279), 12"(305)	8,5"(216), 9"(228), 11"(279), 12"(305)
			A,B,C,D	A,B,C,D
			0 to 30 pre-set & customizable	0 to 30 pre-set & customizable
			Adjustable 90 to 420 mm	Adjustable 90 to 420 mm
			panels 2 to 10	panels 2 to 10
			By user Touch screen	By user Touch screen
			Yes (see Gera Brochure)	Yes (see Gera Brochure)
Control Board	No	LED	Touch screen	Touch screen
Trimming Option	No	Optional: G200XXXT	Optional: G200XXXT	Standard
		Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb		
Weight	56 kg - 123 lb	78 Kg - 172 lb	125 Kg - 275 lb	135 Kg - 298 lb
Power	230/ 115Vac 50 /60 Hz 125 W	230/ 115Vac 50 /60 Hz 125 W	230/ 115 Vac 50 /60 Hz 265W	230/ 115 Vac 50 /60 Hz 265W
* Panel Mode	A, First full  last not full	B, First full  last full	C, First half  last full	D, First full,  last full + margin
Warranty	90 days	12 months	12 months	12 months

The information contained herein is subject to change without notice. The only warranties for GERA products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. GERA shall not be liable for technical or editorial errors or omissions contained herein. Rev. 02.2017

Gera srl

Strada del Cascinotto 132

10156 Turin – Italy

Phone +39 011 223.91.37

Email welcome@gera.it