plot it
WIDE FORMAT SPECIALISTS

GeraFold pro-line

Off-line wide format folding solutions for demanding professionals

The perfect tools designed for users looking for innovative, performing, reliable and durable finishing solutions

- GeraFold 218
- GeraFold 218 Cut

GeraFold 218

- *Off-line Folder and manual **trimmer***
- ***Large table** to support constant workflow*
- *Space saver **tiltable table***
- *Suitable for a wide range of folding requirements*
- *Folds documents of **unlimited length***
- *Unique **touch screen** control board*
- *Folding speed: **15 A0/E per minute***
- *Suitable for any professional office or Reproshop*

Versatility, performance & productivity

- **Variety of folding modes, styles, programs and customization by Touch screen control**
- **Possibility to handle a wide range of media (graphic & CAD)**
- **Efficient uninterrupted operator's workflow**
- **Manual Cutting device option allowing trimming of documents**

A smart off-line finishing solution for wide format documents. Comfortable table support while folding but very compact when not in use! New design, rounded edges, elegant shapes and colors for office environment.

Main Characteristics

- **Superior productivity** thanks to the large table designed to support uninterrupted operator's workflow at 15A0/E size per minute
- **Professional Folder** for small & wide format documents, B&W and full colour prints
- **Customizable folding** programs & styles for special requirements by **Touch Screen**
- **Unlimited fan folded length** by module of 4 meters
- **Cross folding up to 3 folds** and thickness up to 8 panels.
- **Silent and Reliable**

Features

- **Speed**   20 m/min   15 A0/min
- **Fan Fold**   185-190-198-210-220-297 mm
  7"-7,5"-8,5"- 9"-10"-11"
- **Cross fold**
  - 105, 210, 297, 300mm
  - 8,5"(216),9" (228),11" (279),12" (305)
- **Margin: 0 - 30 mm Customizable**

Technical requirements

- **Copy :**
  - **Length** min: 410 mm - max: unlimited
  - **Width** min 270mm - max 920mm
- **Plain paper**   60-110g/m²
- **Weight**   135 kg
- **Dimensions**   1310 x1140 x960 mm
- **Power**   230/115Vac 265 W

GeraFold 218Cut

Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it

Smart innovation generated by experience!

Gera is conducting R&D with focus on creating value from a customer use approach. Thanks to technology and smart ideas, new tools have been introduces to support precise folding and additional features, such as:

On board Manual Trimmer

The manual cutter has been designed to allow trimming of documents while folding. The A4/A package is obtained as follows.

1. **Trim** the copy lead and trail edge
2. **Fan fold** the trimmed document
3. **Trim** fan-folded package side edges
4. **Cross fold** to obtain A4/A package

Key benefits

- **Space:** trimmer & folder within the same footprint
- **Efficient workflow:** next trim can be handled during folding process
- **Investment:** one product instead of two to be purchased at the same time or added later
- **Ease of operation, installation (15')** and handling
- **Trimming width**: unlimited
- **Media**: 60 to 200 g/m²

Touch Screen

The new Touch screen control allows:

1. **Easy** job set-up
2. **Full Customization** of folding styles
3. Folding quality adjustment according to media type
4. Video tutorials for **installation** and **service** procedures

Key benefits

- **Easy** use and troubleshooting support
- **Versatility:** full customization of Map & Graphic fold
- **Quick set up:** folding programs, panel mode and styles are quickly and easily adapted to requirements
- **Innovative:** easy to navigate thanks to self-explanatory graphic commands
- U**seful remote support** for technical engineers


Manual Cutter

Full customization of folding

Selection of Panel Mode

Touch Screen

Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it

	Gerafold 206	Gerafold 212	Gerafold 218	Gerafold 218 Cut
Product code	M206PROL	M212PROL	M218PROL	M218PROT
Table	No	900x400 mm	Large size 900x1000 mm , foldable	Large size 900x1000 mm , foldable
Folder foot print	Depth 400 mm	Depth 630 mm	Depth 560 + 750 mm	Depth 560 + 750 mm
	Width 1140 mm	Width 1140 mm	Width 1140 mm	Width 1140 mm
	Height 400 mm	Height 970 mm	Height 960 mm	Height 1010 mm
Fan Fold lenght	Min. 410 mm - Max 2,5m	Min. 410 mm - Max. unlimited by module of 4 m	Min. 410 mm - Max. unlimited by module of 4 m	Min. 410 mm - Max. unlimited by module of 4 m
Cross Fold lenght	Max. 1,2 m - A0	up to 1,68 m - 2 A0	up to 1,68 m - 2 A0	up to 1,68m - 2 A0
Paper				
weight	75-90 g/m²	60-110g/m²(maps 160 g/m2)	60-110g/m²(maps 160 g/m2)	60-110g/m²(maps 160 g/m2)
Width	Min 297 - Max 920mm	Min 270 - Max 920mm	Min 270 - Max 920mm	Min 270 - Max 920mm
Noise	59 dBa	59 dBa	64 dBa	64 dBa
Speed	4,5 A0/min	9 A0/min	15 A0/min	15 A0/min
	6 m/min	12 m/min	20 m/min	20 m/min
Programs				
Standard	DIN C 210x297mm	DIN A 190+20 margin x297mm	DIN A 190+20margin x297mm	DIN A 190+20margin x297mm
		DIN B 190x297mm	DIN B 190x297mm	DIN B 190x297mm
		DIN C 210x297mm	DIN C 210x297mm	DIN C 210x297mm
		Tri-Fold: A4 split in 3	TAB 198 x 297mm	TAB 198 x 297mm
		180+30 margin x297mm	210x305mm	210x305mm
		175+35 margin	185mm x297mm	185mm x297mm
		Afnor 297mm	185mm+25margin x297mm	185mm+25margin x297mm
		210mm	Afnor 297x210mm	Afnor 297x210mm
		Map fold 105mm x 8 panels	ANSI 7.5"x11"	ANSI 7.5"x11"
			ANSI 7.5"+1"margin x11"	ANSI 7.5"+1"margin x11"
			ANSI 8.5"x11"	ANSI 8.5"x11"
			Arch 9" x 12"	Arch 9" x 12"
			Map fold - **Fully Customizable**	Map fold - **Fully Customizable**
Fan Fold	210 mm	210-190-297 mm	185-190-198-210-220-297 mm	185-190-198-210-220-297 mm
			7"-7,5"-8,5"-9"-10"-11"	7"-7,5"-8,5"-9"-10"-11"
Crosss Fold	297 mm	210, 297mm	105, 210, 297, 300mm	105, 210, 297, 300mm
			8,5"(216),9"(228),11"(279),12"(305)	8,5"(216),9"(228),11"(279),12"(305)
Panel Mode*	A	A, D	A,B,C,D	A,B,C,D
Margin	not available	20, 30 or 35 mm (pre-set)	0 to 30 pre-set & customizable	0 to 30 pre-set & customizable
MAP Pattern	not available	99mm x 3 panels	Adjustable 90 to 420 mm	Adjustable 90 to 420 mm
		105mm x 8 panels	panels 2 to 10	panels 2 to 10
Customize program	No	No	**By user Touch screen**	**By user Touch screen**
Graphic plots	No	Yes (see Gera Brochure)	Yes (see Gera Brochure)	Yes (see Gera Brochure)
Control Board	No	LED	**Touch screen**	**Touch screen**
Trimming Option	No	Optional: **G200XXXT**	Optional: **G200XXXT**	**Standard**
		Trimming width 920 mm - Paper 60-200 g/m² - Weight 11 Kg - 2,20 lb		
Weight	56 kg - 123 lb	78 Kg - 172 lb	125 Kg - 275 lb	135 Kg - 298 lb
Power	230/ 115Vac	230/ 115Vac	230/ 115 Vac	230/ 115 Vac
	50 /60 Hz 125 W	50 /60 Hz 125 W	50 /60 Hz 265W	50 /60 Hz 265W
* Panel Mode	A, First full / last not full	B, First full / last full	C, First half / last full	D, First full, / last full + margin
Warranty	90 days	12 months	12 months	12 months

Reseller

GERA
FINISHING SOLUTIONS SPECIALISTS